EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	((((first near correlat\$4) or (((multipl\$4 or plural\$4) near correlat\$4) or (second near correlat\$4)) same (icsi or (inter near carrier near interferen\$3))) and @ad<"20040720"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24
S2	7	((((first near correlat\$4) or (((multipl\$4 or plural\$4) near correlat\$4) or (second near correlat\$4)) same (icsi or isi or (inter near carrier near2 interferen\$3))) and @ad<"20040720"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/21 16:59
S3	13	((((first near correlat\$4) or ((multipi\$4 or pluraf\$4) near correlat\$4) or (second near correlat\$4)) and ((issi or isi or (inter near carrier near2 interferen\$3))) and ((first or second or pluraf\$4 or mult \$6) near sub near carrier) and @ade*20040720"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 14:28
S4	47	((first or 1st) near correlat \$4) and ((second or 2nd) near correlat\$4) and compar \$5 and (sub near carrier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/21 18:17
S5	46	(icsi or (inter near carrier near interferen\$3)) same ((plural\$5 or multipl\$3 or two) near ((sub carrier) or (carrier))) and (@pd<*20040720" or @ad<*20040720" or @prad<*20040720" or @prad<*20040720")	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/18 16:04
S6	1	(icsi or (inter near carrier near symbol near interferen say) same ((plural\$3 or multipl\$3 or two) near ((sub carrier) or (carrier))) and ((@pd<*20040720" or @pda*20040720" or @prad<*20040720" or (@rlad<*20040720")	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OX	2007/07/18 16:05

S7	190	(icsi or ici or isi or (inter near carrier near interferen\$3)) same ((plural\$3 or multipl\$3 or two) near ((sub carrier) or ((carrier))) and (@pds "20040720" or @pad="20040720" or @prad="20040720") or @prad="20040720")	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OR	2007/07/18 16:06
S8	37	(icsi or ici or isi or (inter near carrier near interferen\$3)) with ((plural\$3 or multipl\$3 or two or different) near ((sub carrier) or (carrier))) and (@pdc "20040720" or @padc "20040720" or @pradc "20040720" or @pradc "20040720")	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/18 16:22
S9	5138	375/142.ccls. or 375/148. ccls. or "150".ccls. or 375/332.ccls. or 375/346. ccls. or 375/348-349.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/18 16:11
S10	2	S8 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/18 16:11
S11	2	us-7010062-\$.did.	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/18 16:25
S12	2	us-20020064240-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/18 16:26
S13	653	icsi or (carrier near symbol near interference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 10:39
S14	687	icsi or (inter near carrier near symbol near interference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 10:40

S15	651	icsi or (inter adj carrier adj symbol adj interference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 10:41
S16	651	icsi or (inter adj carrier adj symbol adj interference) and ([plural\$5 or multipi\$\$\text{S}\$ or two or second) near ((sub carrier) or (carrier))) and ([@pd<"20040720" or @adc"20040720" or @grad<"20040720" or @grad<"20040720")	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 11:05
S17	6	(icsi or (inter adj carrier adj symbol adj interference)) and ((plural\$3 or multipl\$3 or two or second) near ((sub carrier) or (carrier))) and ((@pd<*20040720" or @adc*20040720" or @grad<*20040720" or @grad<*20040720")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		ON	2007/07/24 11:01
S18	2	(icsi or (inter adj carrier adj symbol adj interference)) and (pluraf85 or multipl83 or two) near ((sub carrier) or (carrier))) and ((@pd<*20040720" or @prad<*20040720" or @prad<*20040720" or @prad<*20040720")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 11:05
S19	2	"20030012270"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24
\$20	18	((((first near correlat\$4) or ((multipl\$4 or plural\$4) near correlat\$4) or (second near correlat\$4)) and ((icsi or isi or (inter near carrier near? interferen\$3))) and ((first or second or plural\$4 or mult\\$6 or different or adjacent) near sub near carrier) and (\(\frac{a}{2}\) \) \(\frac{a}{2}\) \(\frac{a}{	US-PGPUB; USPAT; USOCR; EPO; JPO; DEFWENT; IBM_TDB	ADJ	ON	2007/07/24 14:29

S21	24	(((first near correlat\$4) or ((multipl\$4) near correlat\$4) or (second near correlat\$4) and (icis or is or (inter near carrier near2 interferen\$3))) and ((first or second or plural\$4 or multipl \$3 or different or adjacent) near sub near carrier) and (@pd="20040f220" or @pda"=20040f20" or @pdad="20040f20")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 18:21
S22	2	(((first near correlat\$4) or (((multipl\$4) near correlat\$4) or plurat\$4) near correlat\$4) and (icsi or isi or (inter near carrier near2 interferen\$3)) and ((adjacent) near sub near carrier) and ((pd<*20040720" or @ad<*20040720" or @prad<*20040720" or @grad<*20040720" or @grad<*20040720")	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 15:40
S23	20	"20050152317" or "7136436" or "6690739" or "7218691"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 18:04
S24	111	(((first near correlat\$4) or (((multipl\$4 or plurat\$4) near correlat\$4) or (second near correlat\$4)) and (icst or (inter near carrier near2 interferen\$3))) and ((first or second or plurat\$4 or multipl \$3 or different or adjacent) near sub near carrier) and ((pd<*20040720* or @ad<*20040720* or @ad<*20040720* or @flad<*20040720*)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 18:22
S25	1	(training sequence near symbol boundary detection near2 multicarrier data).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 09:32

S26	1664	(symbol with ofdm) same (signal with (sub-carrier or (sub carrier) or subcarrier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/05 15:20
\$27	1010	(((symbol with ofdm) same (signal with (sub-carrier or (sub-carrier) or subcarrier)) and (@pd<"20040720" or (@ad<"20040720" or @prad<"20040720" or (@rlad<"20040720")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/05 15:20
S28	214	((symbol with ofdm) same (signal with (sub-carrier or (sub carrier) or subcarrier) with plural\$3) and (@pdc "20040720" or @ad< "20040720" or @grad< "20040720" or @grad< "20040720" or @grad< "20040720")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/05 15:21
\$29	33	[correlat\$3 with (first or second or plural\$3)) and ((symbol with ofdm) same (signal with (sub-carrier or (sub carrier) or subcarrier) with plural\$3)) and (@pdx "20040720" or @pad<"20040720" or @prad<"20040720" or @prad<"20040720")	US-PCPUB; USPAT; USOCR; EPO; JPO; DEFIWENT; IBM_TDB	ADJ	ON	2008/06/05 15:22
S30	0	(correlat\$3 with (first or second or plural\$3)) and ((symbol with ofdm) same (signal with (sub-carrier or (sub carrier) or subcarrier) with plural\$3)) and (@pdc "20040720" or @padc "20040720" or @pradc "20040720" or @prads "30040720" or @plads "30040720" or @plads "boundary) with compar\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/05 15:24
S31	1	(correlat\$3) and ((symbol with ofdm) same (signal with (sub-carrier or (sub carrier) or subcarrier) with plurat\$3)) and (@pd.*20040720" or @prad<*20040720" or @prad<*20040720" or @riad<*20040720" and (adjust\$3 with (timing or boundary) with compar\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/05 15:24

S32	8	(correlat\$3) and ((symbol with ofdm) same (signal with (sub-carrier or (sub carrier) or subcarrier) with plural\$3)) and (@pd="20040720" or @pad="20040720" or @prad="20040720") and (adjust\$3 with (timing or boundary))	US-PCPUB; USPAT; USOCR; EPO; JPO; DEFRWENT; IBM_TDB		ON	2008/06/05 15:25
S33	235	(symbol with (sub-carrier or (sub carrier))) and (correlat \$4 same (timing or boundar \$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 16:34
S34	167	(symbol with (sub-carrier or (sub carrier))) and (correlat \$4 same (timing or boundar \$3)) and (@pd<"20040720" or @ad<"20040720" or @grad<"20040720" or @grad<"20040720" or @grad<"20040720")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 16:34
S 35	67	(chun near cho)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 16:35
S 36	6	(chun near cho) and (kuang near yen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 16:35
\$37	7	(inter near symbol near interference) and ((first or second) near correlat\$4) same (sub-carrier or (sub carrier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 16:43
S38	2088	375/343,348.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 16:45
S39	4	S38 and "I7"	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 16:45

S40	1	S38 and S37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 16:46
S41	17	375/343,348.ccls. and (symbol with (sub-carrier or (sub carrier))) and (correlat \$4 same (timing or boundar \$3)) and (@pd<"20040720" or @ad<"20040720" or @prad<"20040720" or @rlad<"20040720")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 16:46
S42	83	375/343,348.ccls. and (correlat\$4 same (timing or boundar\$3) same first or second) and ofdm and (conjugate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 17:02

^{9/9/2008 5:20:53} PM

C:\ Documents and Settings\ hsingh1\ My Documents\ EAST\ Workspaces\ 10,710,541.wsp